

Name : XXXXXXXXXXXX

Date : XXXXXXXXXX

Test Asked : Allergy Comprehensive Panel (by Elisa)

Report Status : Complete Report



**First National Diagnostic Chain**  
to have 100% of its Labs with  
**NABL Accreditation\***



Accredited by



NABL From 2005\*\*



ISO 9001: 2015 - From 2015



CAP From 2011\*\*

**Your reports are digitally verifiable**

Scan the QR code inside the report  
to check authenticity of reported values

QR code will remain active for 30 days from report release date



 **98% Reports**  
released within  
**06 Hours**  
of sample reaching the lab\*

 **9 out of 10 Doctors Trust**  
that Thyrocare  
reports are  
**Accurate & Reliable\***

 **1200+**  
Tests & Profiles

 Temperature-  
Controlled  
Sample Logistics

 Unique Barcode  
Tracking

 Fully Automated  
Machines Inspected  
Daily

 Abnormal Values  
Re-Checked Twice

 Reports Verified By Expert  
MD Pathologists Stationed  
at Every Lab

**First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation\***

Patient Name : XXXXXXXXXXXXXXXX  
Referred By : XXXXXXXXXXXXXXXX  
Sample Collected At : XXXXXXXXXXXXXXXX

Tests Done : ALLERGY COMPREHENSIVE PANEL (BY ELISA)

## Report Availability Summary

**Note:** Please refer to the table below for status of your tests.

 **2** Ready       **0** Ready with Cancellation       **0** Processing       **0** Cancelled in Lab

### TEST DETAILS

### REPORT STATUS

<b>ALLERGY COMPREHENSIVE PANEL (BY ELISA)</b>	Ready 
ALLERGY COMPREHENSIVE PACKAGE BY ELISA	Ready 
TOTAL IGE	Ready 

Dummy Report

Patient Name : XXXXXXXXXXXXXXXX  
 Referred By : XXXXXXXXXXXXXXXX  
 Sample Collected At : XXXXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXXXXXX  
 Sample Received on (SRT) : XXXXXXXXXXXXXXXX  
 Report Released on (RRT) : XXXXXXXXXXXXXXXX  
 Sample Type | Barcode : XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
<b>Allergy Beef (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.57</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Chicken (By Elisa)	E.L.I.S.A	0.11	IU/mL	< 0.35
<b>Allergy Crab (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.56</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Egg (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>4.08</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Fish (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>1.92</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Mutton (By Elisa)	E.L.I.S.A	0.32	IU/mL	< 0.35
Allergy Pork (By Elisa)	E.L.I.S.A	0.18	IU/mL	< 0.35
<b>Allergy Prawn (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>7.95</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Shrimp (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>96.33</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>

**Please correlate with clinical conditions.**

**Method :**

AEBEF - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECHI - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECRA - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEEGG - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEFIS - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEMUT - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEPOR - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEPRA - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AESHR - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM

Tests Done : ALLERGY COMPREHENSIVE PACKAGE BY ELISA

Report Remarks : Labcode:2901000039/IT011

Doctor 1 Sign

Doctor 2 Sign

Patient Name : XXXXXXXXXXXXXXXX  
 Referred By : XXXXXXXXXXXXXXXX  
 Sample Collected At : XXXXXXXXXXXXXXXX

Sample Collected on (SCT): XXXXXXXXXXXXXXXX  
 Sample Received on (SRT) : XXXXXXXXXXXXXXXX  
 Report Released on (RRT) : XXXXXXXXXXXXXXXX  
 Sample Type | Barcode : XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
<b>Allergy Drug Amoxicillin (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>2.77</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Drug Ampicillin (By Elisa)	E.L.I.S.A	0.31	IU/mL	< 0.35
<b>Allergy Drug Aspirin (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.42</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Drug Brufen (Ibuprofen) (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>24.54</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Drug Ciprofloxacin (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>460.81</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Drug Cloxacillin (By Elisa)	E.L.I.S.A	0.14	IU/mL	< 0.35
<b>Allergy Drug Diclofenac (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>15.95</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Drug Doxycycline (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>61.18</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Drug Erythromycin (By Elisa)	E.L.I.S.A	0.3	IU/mL	< 0.35
<b>Allergy Drug Norfloxacin (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>16.71</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Drug Ofloxacin (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.62</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>

Please correlate with clinical conditions.

**Method :**

AEAMO - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEAMP - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEASP - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEBRU - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECEIP - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECLCLO - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEDIC - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEDOX - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEERY - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AENOR - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEOFL - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM

Tests Done : ALLERGY COMPREHENSIVE PACKAGE BY ELISA

Report Remarks : Labcode:2901000039/IT011

Doctor 1 Sign

Doctor 2 Sign

Patient Name : XXXXXXXXXXXXXXXX  
 Referred By : XXXXXXXXXXXXXXXX  
 Sample Collected At : XXXXXXXXXXXXXXXX

Sample Collected on (SCT): XXXXXXXXXXXXXXXX  
 Sample Received on (SRT) : XXXXXXXXXXXXXXXX  
 Report Released on (RRT) : XXXXXXXXXXXXXXXX  
 Sample Type | Barcode : XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
Allergy Drug Oxacillin (By Elisa)	E.L.I.S.A	0.28	IU/mL	< 0.35
Allergy Drug Paracetamol (By Elisa)	E.L.I.S.A	0.2	IU/mL	< 0.35
Allergy Drug Bromhexine (By Elisa)	E.L.I.S.A	0.21	IU/mL	< 0.35
Allergy Drug Cefixime (Cefaclor) (By Elisa)	E.L.I.S.A	0.22	IU/mL	< 0.35
<b>Allergy Drug Metamizol (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>443.87</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Drug Penicillin (By Elisa)	E.L.I.S.A	0.1	IU/mL	< 0.35
<b>Allergy Drug Sulpha (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>54.39</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Drug Tetracycline (By Elisa)	E.L.I.S.A	0.31	IU/mL	< 0.35
Allergy Drug Tinidazole (By Elisa)	E.L.I.S.A	0.17	IU/mL	< 0.35
Allergy Drug Insulin (By Elisa)	E.L.I.S.A	0.05	IU/mL	< 0.35
<b>Allergy Drug Xylocaine (Lidocaine) (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>55.41</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>

Please correlate with clinical conditions.

**Method :**

AEOXA - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEPAR - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEBRO - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECEF - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEMET - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEPEN - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AESUL - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AETET - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AETIN - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEINS - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEXYL - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM

Tests Done : ALLERGY COMPREHENSIVE PACKAGE BY ELISA

Report Remarks : Labcode:2901000039/IT011

Doctor 1 Sign

Doctor 2 Sign

Patient Name : XXXXXXXXXXXXXXXX  
 Referred By : XXXXXXXXXXXXXXXX  
 Sample Collected At : XXXXXXXXXXXXXXXX

Sample Collected on (SCT): XXXXXXXXXXXXXXXX  
 Sample Received on (SRT) : XXXXXXXXXXXXXXXX  
 Report Released on (RRT) : XXXXXXXXXXXXXXXX  
 Sample Type | Barcode : XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
Allergy Dal Chana (By Elisa)	E.L.I.S.A	0.24	IU/mL	< 0.35
<b>Allergy Almond (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>61.54</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Mustard (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>1.27</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Cashew Nut (By Elisa)	E.L.I.S.A	0.07	IU/mL	< 0.35
Allergy Pistachio Nut (By Elisa)	E.L.I.S.A	0.04	IU/mL	< 0.35
<b>Allergy Lentil (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.56</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Pumpkin Seed (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.53</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Fennel Seed (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.56</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Udad Dal (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>9.44</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Masoor Dal (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>56.91</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Toor Dal (By Elisa)	E.L.I.S.A	0.28	IU/mL	< 0.35
<b>Allergy Moong Dal (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>54.35</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Rajma Dal (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>47.15</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Chick Pea (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>9.29</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>

Please correlate with clinical conditions.

**Method :**

- AEDAL - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEALM - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEMUS - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEKAJ - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEPIS - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AELEN - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEPUM - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEFEN - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEUDA - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEMAS - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AETOO - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEMOO - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AERAJ - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AECKP - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM

Tests Done : ALLERGY COMPREHENSIVE PACKAGE BY ELISA

Report Remarks : Labcode:2901000039/IT011

Doctor 1 Sign

Doctor 2 Sign

Patient Name : XXXXXXXXXXXXXXXX  
 Referred By : XXXXXXXXXXXXXXXX  
 Sample Collected At : XXXXXXXXXXXXXXXX

Sample Collected on (SCT): XXXXXXXXXXXXXXXX  
 Sample Received on (SRT) : XXXXXXXXXXXXXXXX  
 Report Released on (RRT) : XXXXXXXXXXXXXXXX  
 Sample Type | Barcode : XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
<b>Allergy Milk (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.56</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Curd (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>5.56</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Cheese (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>89.91</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Yogurt (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>16.17</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Cocoa (By Elisa)	E.L.I.S.A	0.1	IU/mL	< 0.35
<b>Allergy Casein (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>6.97</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Alpha Lactoglobulin (By Elisa)	E.L.I.S.A	0.28	IU/mL	< 0.35
Allergy Beta Lactoglobulin (By Elisa)	E.L.I.S.A	0.33	IU/mL	< 0.35
<b>Allergy Chocolate (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>1.91</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>

**Please correlate with clinical conditions.**

**Method :**

AEMIL - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECUR - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECHS - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEYOG - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECCO - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECAS - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEALP - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEBET - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECHO - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM

Tests Done : ALLERGY COMPREHENSIVE PACKAGE BY ELISA

Report Remarks : Labcode:2901000039/IT011

Doctor 1 Sign

Doctor 2 Sign

Patient Name : XXXXXXXXXXXXXXXX  
 Referred By : XXXXXXXXXXXXXXXX  
 Sample Collected At : XXXXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXXXXXX  
 Sample Received on (SRT) : XXXXXXXXXXXXXXXX  
 Report Released on (RRT) : XXXXXXXXXXXXXXXX  
 Sample Type | Barcode : XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
<b>Allergy Yeast (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>37.6</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Maize (By Elisa)	E.L.I.S.A	0.14	IU/mL	< 0.35
<b>Allergy Rice (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>194.28</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Wheat Flour (By Elisa)	E.L.I.S.A	0.3	IU/mL	< 0.35
<b>Allergy Barley (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>1.95</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Oats (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.45</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Millet (By Elisa)	E.L.I.S.A	0.26	IU/mL	< 0.35
<b>Allergy Gluten (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>4.23</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Jowar (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>63.44</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Ragi (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>810.94</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Semolina(Rawa) (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>718.07</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Bajra (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.5</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>

**Please correlate with clinical conditions.**

**Method :**

- AEYEA - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEMAI - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AERIC - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEWHE - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEBAR - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEOAT - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEMLT - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEGLU - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEJOW - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AERAG - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AESEM - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEBAJ - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM

Tests Done : ALLERGY COMPREHENSIVE PACKAGE BY ELISA

Report Remarks : Labcode:2901000039/IT011

Doctor 1 Sign

Doctor 2 Sign

Patient Name : XXXXXXXXXXXXXXXX  
 Referred By : XXXXXXXXXXXXXXXX  
 Sample Collected At : XXXXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXXXXXX  
 Sample Received on (SRT) : XXXXXXXXXXXXXXXX  
 Report Released on (RRT) : XXXXXXXXXXXXXXXX  
 Sample Type | Barcode : XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
Allergy Papaya (By Elisa)	E.L.I.S.A	2.02	IU/mL	< 0.35
Allergy Banana (By Elisa)	E.L.I.S.A	0.47	IU/mL	< 0.35
Allergy Orange (By Elisa)	E.L.I.S.A	0.07	IU/mL	< 0.35
Allergy Strawberry (By Elisa)	E.L.I.S.A	1.25	IU/mL	< 0.35
Allergy Apple (By Elisa)	E.L.I.S.A	0.72	IU/mL	< 0.35
Allergy Kiwi (By Elisa)	E.L.I.S.A	7.07	IU/mL	< 0.35
Allergy Melon (By Elisa)	E.L.I.S.A	74.86	IU/mL	< 0.35
Allergy Mango (By Elisa)	E.L.I.S.A	0.31	IU/mL	< 0.35
Allergy Pear (By Elisa)	E.L.I.S.A	0.12	IU/mL	< 0.35
Allergy Pineapple (By Elisa)	E.L.I.S.A	0.46	IU/mL	< 0.35
Allergy Cherry (By Elisa)	E.L.I.S.A	12.58	IU/mL	< 0.35
Allergy Plum (By Elisa)	E.L.I.S.A	0.34	IU/mL	< 0.35
Allergy Grape (By Elisa)	E.L.I.S.A	12.12	IU/mL	< 0.35
Allergy Guava (By Elisa)	E.L.I.S.A	0.07	IU/mL	< 0.35
Allergy Pomegranate (By Elisa)	E.L.I.S.A	776.52	IU/mL	< 0.35
Allergy Watermelon (By Elisa)	E.L.I.S.A	1.19	IU/mL	< 0.35
Allergy Fig (By Elisa)	E.L.I.S.A	0.34	IU/mL	< 0.35

Please correlate with clinical conditions.

**Method :**

- AEAP - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEBAN - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEORA - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AESTR - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEAPP - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEKIW - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEMEL - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEMAN - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEPER - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEPIN - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AECHE - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEPLU - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEGRA - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEGUA - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEPOM - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEWAT - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEFIG - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM

Tests Done : ALLERGY COMPREHENSIVE PACKAGE BY ELISA

Report Remarks : Labcode:2901000039/IT011

Doctor 1 Sign

Doctor 2 Sign

Patient Name : XXXXXXXXXXXXXXXX  
 Referred By : XXXXXXXXXXXXXXXX  
 Sample Collected At : XXXXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXXXXXX  
 Sample Received on (SRT) : XXXXXXXXXXXXXXXX  
 Report Released on (RRT) : XXXXXXXXXXXXXXXX  
 Sample Type | Barcode : XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
Allergy Tomatoes (By Elisa)	E.L.I.S.A	0.21	IU/mL	< 0.35
<b>Allergy Capsicum (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.52</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Lemon (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>2.01</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Cucumber (By Elisa)	E.L.I.S.A	0.29	IU/mL	< 0.35
<b>Allergy Cauliflower (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.47</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Brinjal (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.47</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Cabbage (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.57</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Peas (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>22.32</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Potato (By Elisa)	E.L.I.S.A	0.04	IU/mL	< 0.35
<b>Allergy Mushroom (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>91.52</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Soya Bean (By Elisa)	E.L.I.S.A	0.28	IU/mL	< 0.35
<b>Allergy Onion (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>3.56</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Sweet Potato (By Elisa)	E.L.I.S.A	0.04	IU/mL	< 0.35
<b>Allergy Spinach (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>14.15</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Egg Plant/Aubergine (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>1.22</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>

Please correlate with clinical conditions.

**Method :**

- AETOM - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AECAP - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AELEM - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AECUC - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AECAU - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEBRI - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AECAB - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEPEA - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEPOT - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEMSH - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AESoy - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEONI - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AESWE - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AESPI - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEEGP - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM

Tests Done : ALLERGY COMPREHENSIVE PACKAGE BY ELISA

Report Remarks : Labcode:2901000039/IT011

Doctor 1 Sign

Doctor 2 Sign

Patient Name : XXXXXXXXXXXXXXXX  
 Referred By : XXXXXXXXXXXXXXXX  
 Sample Collected At : XXXXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXXXXXX  
 Sample Received on (SRT) : XXXXXXXXXXXXXXXX  
 Report Released on (RRT) : XXXXXXXXXXXXXXXX  
 Sample Type | Barcode : XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
Allergy Turmeric (By Elisa)	E.L.I.S.A	0.31	IU/mL	< 0.35
Allergy Sesame (By Elisa)	E.L.I.S.A	0.18	IU/mL	< 0.35
Allergy Coconut (By Elisa)	E.L.I.S.A	0.17	IU/mL	< 0.35
Allergy Honey (By Elisa)	E.L.I.S.A	0.11	IU/mL	< 0.35
<b>Allergy Curry (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>1.28</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Cardamom (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.54</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Peanut (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>797.79</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Cloves (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.42</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Ginger (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>2.55</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Chili Pepper (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.54</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Garlic (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>599.87</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Raisin (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>14.98</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Saffron (By Elisa)	E.L.I.S.A	0.21	IU/mL	< 0.35
<b>Allergy Cumin (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.65</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>

Please correlate with clinical conditions.

**Method :**

- AETUR - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AESES - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AECNT - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEHON - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AECRY - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AECAR - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEPNT - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AECLV - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEGIN - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AECHP - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AEGAR - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AERAI - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AESAF - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM
- AECUM - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM

Tests Done : ALLERGY COMPREHENSIVE PACKAGE BY ELISA

Report Remarks : Labcode:2901000039/IT011

Doctor 1 Sign

Doctor 2 Sign

Patient Name : XXXXXXXXXXXXXXXX  
 Referred By : XXXXXXXXXXXXXXXX  
 Sample Collected At : XXXXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXXXXXX  
 Sample Received on (SRT) : XXXXXXXXXXXXXXXX  
 Report Released on (RRT) : XXXXXXXXXXXXXXXX  
 Sample Type | Barcode : XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
<b>Allergy Paper Dust (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>97.36</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Perfume (By Elisa)	E.L.I.S.A	0.04	IU/mL	< 0.35
Allergy Paints (By Elisa)	E.L.I.S.A	0.06	IU/mL	< 0.35
Allergy Detergent (By Elisa)	E.L.I.S.A	0.26	IU/mL	< 0.35
Allergy Storage Mite (By Elisa)	E.L.I.S.A	0.18	IU/mL	< 0.35
Allergy Hay Dust (By Elisa)	E.L.I.S.A	0.27	IU/mL	< 0.35
Allergy Wood Dust (By Elisa)	E.L.I.S.A	0.09	IU/mL	< 0.35
<b>Allergy House Fly (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.39</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Sunflower (By Elisa)	E.L.I.S.A	0.21	IU/mL	< 0.35
<b>Allergy House Dust Mite (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>77.42</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy House Dust (By Elisa)	E.L.I.S.A	0.15	IU/mL	< 0.35

**Please correlate with clinical conditions.**

**Method :**

AEPDU - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEPRF - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEPAI - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEDET - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AESTO - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEHAY - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEWOO - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEHfy - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AESUN - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEHDM - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEHdu - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM

Tests Done : ALLERGY COMPREHENSIVE PACKAGE BY ELISA

Report Remarks : Labcode:2901000039/IT011

Doctor 1 Sign

Doctor 2 Sign

Patient Name : XXXXXXXXXXXXXXXX  
 Referred By : XXXXXXXXXXXXXXXX  
 Sample Collected At : XXXXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXXXXXX  
 Sample Received on (SRT) : XXXXXXXXXXXXXXXX  
 Report Released on (RRT) : XXXXXXXXXXXXXXXX  
 Sample Type | Barcode : XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
<b>Allergy Dog Dander (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>343.64</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Cat Dander (By Elisa)	E.L.I.S.A	0.1	IU/mL	< 0.35
Allergy Cockroach Dust (By Elisa)	E.L.I.S.A	0.1	IU/mL	< 0.35
<b>Allergy Pigeon Dropping (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.92</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Chicken Feathers (By Elisa)	E.L.I.S.A	0.3	IU/mL	< 0.35
Allergy Pigeon Feathers (By Elisa)	E.L.I.S.A	0.32	IU/mL	< 0.35
<b>Allergy Cow Dander (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>739.19</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Goat Dander (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>7.48</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Horse Dander (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>356.91</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Chicken Dropping (By Elisa)	E.L.I.S.A	0.22	IU/mL	< 0.35
Allergy Buffalo Dander (By Elisa)	E.L.I.S.A	0.04	IU/mL	< 0.35

Please correlate with clinical conditions.

**Method :**

AEDOG - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECAT - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECOC - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEPID - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECHF - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEPIF - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECOW - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEGOA - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEHOR - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECHD - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEBUF - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM

Tests Done : ALLERGY COMPREHENSIVE PACKAGE BY ELISA

Report Remarks : Labcode:2901000039/IT011

Doctor 1 Sign

Doctor 2 Sign

Patient Name : XXXXXXXXXXXXXXXX  
 Referred By : XXXXXXXXXXXXXXXX  
 Sample Collected At : XXXXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXXXXXX  
 Sample Received on (SRT) : XXXXXXXXXXXXXXXX  
 Report Released on (RRT) : XXXXXXXXXXXXXXXX  
 Sample Type | Barcode : XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
Allergy Parthenium (Common Ragweed) (By Elisa)	E.L.I.S.A	0.11	IU/mL	< 0.35
<b>Allergy Aspergillus Niger (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>16.46</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Hair Dye (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>42.11</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Aspergillus Fumigatus (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.54</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
Allergy Bermuda Grass (By Elisa)	E.L.I.S.A	0.28	IU/mL	< 0.35
Allergy Timothy Grass (By Elisa)	E.L.I.S.A	0.19	IU/mL	< 0.35
<b>Allergy Johnson Grass (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>1.73</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Tobacco (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.39</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Mugwort (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>2.26</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Mosquito (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>0.53</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>
<b>Allergy Cotton Linters (By Elisa)</b>	<b>E.L.I.S.A</b>	<b>373.4</b>	<b>IU/mL</b>	<b>&lt; 0.35</b>

**Please correlate with clinical conditions.**

**Method :**

AEPTN - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEASN - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEHAI - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEASF - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECYN - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEPHL - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AESOR - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AETOB - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEMUG - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AEMOS - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM  
 AECOT - SOLID PHASE IMMUNOENZYMATIC CAPTURE SYSTEM

Tests Done : ALLERGY COMPREHENSIVE PACKAGE BY ELISA

Report Remarks : Labcode:2901000039/IT011

Doctor 1 Sign

Doctor 2 Sign



Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation

Patient Name : XXXXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXXXX
Sample Collected At : XXXXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXXXXXX

Table with 4 columns: TEST NAME, TECHNOLOGY, VALUE, UNITS. Row 1: TOTAL IGE, C.L.I.A, < 50, IU/mL. Bio. Ref. Interval. :-

Table with 2 columns: Age, Value. Rows: 0 - 1 Year (1.40 - 52.3), 1 - 4 Years (0.40 - 351.6), 5 - 10 Years (0.50 - 393), 11 - 15 Years (1.90 - 170), Adults (< 158)

Clinical significance: Quantitative measurement of serum IgE when integrated with other clinical indicator, can provide useful information for the differential clinical diagnosis of Atopic and Non-Atopic disease.

Specifications: Precision: Intra assay (%CV): 7.2 %, Inter assay (%CV): 5.4 %; Sensitivity: 1.5 IU/ml

Kit validation references Kjellman N-IM, Johansson SGO, Roth A. Serum IgE levels in healthy children by a sandwich technique. (Prist). Clin Allergy 1976: 6:51-9.

Please correlate with clinical conditions.

Method:- TWO SITE SANDWICH IMMUNOASSAY

~~ End of report ~~

Tests Done : ALLERGY COMPREHENSIVE PANEL (BY ELISA)

Doctor 1 Sign Doctor 2 Sign

## CONDITIONS OF REPORTING

- v The reported results are for information and interpretation of the referring doctor only.
- v It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- v Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- v Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- v Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- v This report is not valid for medico-legal purpose.
- v Neither Thyrocare, nor its employees/representatives assume: (a) any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report, (b) any claims of any nature whatsoever arising from or relating to the performance of the requested tests as well as any claim for indirect, incidental or consequential damages. The total liability, in any case, of Thyrocare shall not exceed the total amount of invoice for the services provided and paid for.
- v Thyrocare Discovery video link :- <https://youtu.be/nbdYeRqYyQc>

## EXPLANATIONS

- v Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- v **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- v **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- v **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- v **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- v **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- v **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- v **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- v **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- v **Reference Range** - Means the range of values in which 95% of the normal population would fall.

## SUGGESTIONS

- v Values out of reference range requires reconfirmation before starting any medical treatment.
- v Retesting is needed if you suspect any quality shortcomings.
- v Testing or retesting should be done in accredited laboratories.
- v For suggestions, complaints, clinical support or feedback, write to us at [customersupport@thyrocare.com](mailto:customersupport@thyrocare.com) or call us on **022-3090 0000**

Preventive Healthcare is now at your fingertips!

Download Thyroapp Now

Launching

# JaanCh

For a closer look at your health with

Doctor-Curated Specialised Packages All Under One Roof

Heart	Fever	Cancer	Women's - Reproductive Health	
Thyroid	Diabetes	STDs	Skin Care	Hair Fall

**Thyrocare**  
Tests you can trust

\* T&C Apply, #As on 5th December 2024 (Applicable for all company owned labs except Bhagalpur & Vijayawada),

\* As per survey on doctors' perception of laboratory diagnostics (IJARIIT, 2023), -Mumbai Reference Lab is CAP Accredited