

PROCESSED AT :
Thyrocare,



Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : XXXXXXXXXXXXXXXXXXXX **HOME COLLECTION :**
REF. BY : XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
TEST ASKED : BONE PROFILE - BASIC

TEST NAME	TECHNOLOGY	VALUE	UNITS
INTACT PARATHYROID HORMONE (PTH)	C.L.I.A	62.3	pg/mL

Bio. Ref. Interval. :-

Adults : 12 - 88 pg/ml

Clinical Significance :

In Hypercalcemia due to malignancy or other causes, the concentration of PTH in circulation is typically low or within normal reference range limits. Levels are characteristically high in secondary hyperparathyroidism - usually associated with renal failure - as a result of constant stimulation of the parathyroid gland by low calcium levels. Hypocalcemia accompanied by a low PTH level, on the other hand, is to be expected in hypoparathyroidism, either postsurgical or idiopathic. For diagnostic purpose, results should always be assessed in conjunction with the patient's medical history, clinical examination and other findings.

Specifications :

Precision: Intra assay (%CV): 6.8, Inter assay (%CV): 8.1, Sensitivity: 6 pg/mL

Kit validation references :

Mundy GR,Guise TA,Hormonal control of calcium Homeostasis clinical chem 1999,45:1347-1352

Please correlate with clinical conditions.

Method:- TWO-STEP IMMUNOENZYMATIC (SANDWICH) ASSAY

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM Doctor 1 Sign Doctor 2 Sign
Labcode :
Barcode : Page : 1 of 5

PROCESSED AT :
Thyrocare,



Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : XXXXXXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXXXXXX
TEST ASKED : BONE PROFILE - BASIC

HOME COLLECTION :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS
25-OH VITAMIN D (TOTAL)	E.C.L.I.A	42.1	ng/mL

Bio. Ref. Interval. :-

Deficiency : ≤ 20 ng/ml || Insufficiency : 21-29 ng/ml
Sufficiency : ≥ 30 ng/ml || Toxicity : > 100 ng/ml

Clinical Significance:

Vitamin D is a fat soluble vitamin that has been known to help the body absorb and retain calcium and phosphorous; both are critical for building bone health.

Decrease in vitamin D total levels indicate inadequate exposure of sunlight, dietary deficiency, nephrotic syndrome.

Increase in vitamin D total levels indicate Vitamin D intoxication.

Specifications: Precision: Intra assay (%CV):9.20%, Inter assay (%CV):8.50%

Kit Validation Reference : Holick M. Vitamin D the underappreciated D-Lightful hormone that is important for Skeletal and cellular health Curr Opin Endocrinol Diabetes 2002;9(1)87-98.

Please correlate with clinical conditions.

Method:- Fully Automated Electrochemiluminescence Competitive Immunoassay

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign

Doctor 2 Sign

PROCESSED AT :
Thyrocare,



MC-3759

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : XXXXXXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXXXXXX
TEST ASKED : BONE PROFILE - BASIC

HOME COLLECTION :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS
SERUM ZINC	PHOTOMETRY	66	µg/dL

Bio. Ref. Interval. :-

52 - 286

Clinical Significance:

Zinc is one of the essential trace elements in the body. Its metalloenzymes play a key rple in protein and nucleic acid synthesis, gene expression, wound healing, as an antioxidant, etc. Deficiency can cause- Poor wound healing, gastroenteritis, impaired spermatogenesis, Alzheimer's disease, etc. Toxicity may be manifested as pancreatitis, gastric ulcer, anemia, pulmonary fibrosis.

Specifications:

Precision: Intra assay (%CV): 2.02, Inter assay (%CV): 2.22.

Kit Validation References:

Thomas L. Clinical Laboratory Diagnostics. 1st ed. Frankfurt: TH-Books Verlagsgesellschaft; 1998. p. 347-9

Please correlate with clinical conditions.

Method:- NITRO - PAPS

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign

Doctor 2 Sign

PROCESSED AT :
Thyrocare,



Thyrocare
Tests you can trust

Corporate Office : Thyrocare Technologies Limited D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703
022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : XXXXXXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXXXXXX
TEST ASKED : BONE PROFILE - BASIC

HOME COLLECTION :
XX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
ALKALINE PHOSPHATASE	PHOTOMETRY	63.5	U/L	45-129
PHOSPHOROUS	PHOTOMETRY	3.57	mg/dL	2.4 - 5.1
CALCIUM	PHOTOMETRY	9.46	mg/dL	8.8-10.6

Please correlate with clinical conditions.

Method :

ALKP - MODIFIED IFCC METHOD
PHOS - UNREDUCED PHOSPHOMOLYBDATE METHOD
CALC - ARSENAZO III METHOD, END POINT.

~~ End of report ~~

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign

Doctor 2 Sign

CONDITIONS OF REPORTING

- v The reported results are for information and interpretation of the referring doctor only.
- v It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- v Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- v Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- v Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- v This report is not valid for medico-legal purpose.
- v Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- v Thyrocare Discovery video link :- <https://youtu.be/nbdYeRqYyQc>
- v For clinical support please contact @8450950852,8450950853,8450950854 between 10:00 to 18:00

EXPLANATIONS

- v Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- v **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- v **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- v **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- v **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- v **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- v **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- v **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- v **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- v **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- v Values out of reference range requires reconfirmation before starting any medical treatment.
- v Retesting is needed if you suspect any quality shortcomings.
- v Testing or retesting should be done in accredited laboratories.
- v For suggestions, complaints or feedback, write to us at info@thyrocare.com or call us on **022-3090 0000 / 62 300**
- v SMS:<Labcode No.>to **90666333**

Preventive Healthcare is now at your fingertips!

Explore & Select Test / Profile

Book Through App

Booking Confirmation

Track your Technician

Blood Collection

Sample Testing

Download Report & Receipt

Download Thyroapp Now

PharmEasy

Here's to a healthier you!

Order Medicines from PharmEasy,

GET FLAT 25% OFF

+

FREE DELIVERY

on first 3 medicine orders

Use code: **25GET**

Download the app

Available on the App Store

GET IT ON Google Play

OR

Scan the QR code

*As per a survey on doctors' perception of laboratory diagnostics (IJARIIT,2023)